





Benshes 111 MINIMINI

Benches

Our street seating arrangements offer a variety of options in terms of materials and forms. Versatile designs include an assortment of marble, wood, steel, aluminum, and concrete - creating pure elegance in public seating.



























Customisable















This bin belongs to the sustainable design street furniture collection. Entirely made of recycled polymers, recovered from post-consumer plastic. Attractive design and high functionality. Resistant to UV rays, water and bad weather conditions. Thanks to its features, GEA is a bin that can adapt to all kinds of public spaces.













Litter Bin Fija Aro Selectif

Litter bin made of steel with Ø0 mm holes treated with Ferrus, a protective process that guarantees high resistance to corrosion.





Urban Lighting Avenues, squares and pedestrian areas, parks, historic centres, low speed streets... APPLICATIONS: - Urban and residential areas - Parks and green spaces - Maritime promenades - Pedestrian areas - Cycle lanes and ≤V+km/h areas Lighting Luminaire Deco Lira Diplomatic Area, Manama, Kingdom of Bahrain + 97333224468 / +97334055607 www.iou-design.com + 966556754381 / + 966533172855 Al Olaya, Al Khobar, Dammam, Kingdom of Saudi Arabia






ZEBRA light point, the solution for the lighting of pedestrian crossings, designed to reduce the number of pedestrian impacts and increase security.









A complete road luminaire family at the forefront of LED technology


High-efPciency up to 147 lm/w

To cover all type of applications. Ready 4 lot









^{+ 97333224468 / +97334055607}





Unique planters available in several sizes, materials and Pnishes


























Planter Lisa






Planter made of precast textured granite grey concrete. May be positioned individually or in groups. Recommended anchoring: Free-standing.





Bollard Petrus LED A precast retnforced concrete **Bollard** bollard with a fine pickled finish, designed to prevent the passage of vehtcles on a permanent basis. Features a stainless steel plate top with a brushed finish. Optional LED luminous ring for maximum visibility due to its red/green traffic light-type stgnals. + 97333224468 / +97334055607 | Diplomatic Area, Manama, Kingdom of Bahrain + 966556754381 / + 966533172855 | Al Olaya, Al Khobar, Dammam, Kingdom of Saudi Arabia www.iou-design.com













Special shaped bollards can add security and aesthetic appeal to any setting. These round or cylinder shaped bollards are constructed of steel rebar encased in concrete to provide a strong appearance and help guide traftic Bow. You can choose from a variety of textures, colors and Pnishes. Mounting options A) anchor bolts or B) pipe bollard.



















The SAFEST SOLUTION to park your bicycle



















Fencing for playgrounds

Excellent solution to delimit play spaces in schools and nursery schools.









Do you need to fence an urban space?

Contact us for a bespoke solution!

















STAIR HANDRAILS SS





^{+ 97333224468 / +97334055607}

MAKING DIY PERGOLA PLANS EASY













Relaxation. Elegance. Beauty.

Enjoy a quiet dinner with friends and family on your patio, comfortably sitting in your own outdoor oasis. Come home after a hard day's work and enjoy a cold beverage in the dappled shade cast by your new pergola, designed to your exact specifications.






























playground and sports equipment





Street Workout

Street Workout elements made of metallic materials with circular profile posts and painted aluminum flanges to guarantee professional performance and product adaptability










FLEXIZONE


PLAYGROUND RUBBER TILES

SBR and EPDM rubber tiles are designed for outdoor playgrounds and play zones. They demonstrate high impact attenuation properties.




High impact attenuation properties, special internal structure initiating additional elastic forces, guaranteed HIC within the range 3.0 ÷ 1.3 m.

SBR tiles are integrally coloured which prevents warping and corners curling.






playground Rubber **EBDM & Tiles**



AND QUARTER-TILES

Intrloc Paving Floors



interlock paving floors

Interlock, or what is called interlocking paving floors, is now considered one of the best types of flooring used today, because of its many uses and countless advantages, which have made many people want to buy it, even the interlock companies that are currently competing to install it. We all know that interlock tiles It is a flexible tile that differs from other traditional types of paving, and it can be used in more than one form. It is also eye-catching as it adds a glimpse of beauty in addition to its durability in paving. Therefore, it was worth noting to learn more about interlock tiles and their importance, and let us in this article, dear reader. We learn everything related to interlock tiles, to see how you can benefit from this type of flooring.

GERMAN TECHNOLOGY








BlueAir ® TECHNOLOGY

Harmful nitrogen oxides (NOx) in the air will turn during sunlight into min eral nitrate on the surface of the stone. It is the same principle, by which plants enhance air quality. This photocatalysis actively reduces air pollution and works unchanged throughout the life cycle of the stone.







Properties

- * Particularly Þnely coordinated, homogeneous colour shades.
- * Colouring of the surface mainly by raw materials from regional stone quarries.
- * Frost and de-icing salt resistant and Slip resistant. Climate-neutral and CO-2certiped production.
- *Wide range of sizes. Stone thicknesses from 5 to 18 cm possible. Available with and without chamfered edge.
- * Special stone hardening process through climate-controlled surface Þnishing.





Light Grey w-Y



Mild Grey

















Deep Orange



Sepia Brown





Dark Brown





Carety Nest



STEEL DOORS






PRODUCT DESCRIPTION

Exceedingly cost-effective and ready to use steel doors with frames. This exclusive steel door has several significant features. These doors serves the purpose of both residential steel door and commercial ones. Despite the fact that this superiorgrade steel give extraordinary protection, they are eco-friendly and easy to maintain. They are veracious for all weather conditions. Also, there is no climatic deformation as in doors made of wood.






STEEL DOOR LEAF AND FRAME TECHNICAL **SPECIFICATIONS**

- DKP corrugated steel sheet inside of the leaf.
- The Lock System is a Monoblock Lock System with ' Points and " Rounds Locking Feature (Also, it can be used in the Semi-central System, including the top of the door, depending on preference.)
- Rosette
- tcm fire resistant rockwool inside the leaf for insulation
- Corrugated supportive steel sheet
- Depending on preference and the climatic conditions in which the door will be used, 1. mm thickness MDF in various coatings and patterns or other materials with exterior resistance (Aluminum Composite, Stone Surface Betopan, etc.)





Application of Rock wool for insulation in corrugated leaf



Corrugated leaf Front Sheet



Inside of Corugated leaf, Completely flat DKP sheet on the back side




















Flag pole ALuminum 9 meter & GI Cast aluminum







Electric - Operated flag pole



	First Con Chap to be Stone Finalism											a 44 %714										
i			1	E		¥	111	-	-	-	5	10		2	86	+0	11	NE I	-	-	100	
	251		15		IP			-		150		0				10	-	-		-715		
h	ж.	÷	12	н	10	-	-	-5-	-	10	-85	m	68	-	-	ΗÐ	-		*	40	1	
	5	-	×		ŀĉ.	111	-		-	H-S-	-6	-	-4		-	12-			-	-		
	E.		15	100		100	- 5	-	100	100		II.	10	12	ю.	T	4		46.1	231	200	
	œ		:::	m	12	ΗĒ	-		-	177		-20	m	re:	17	-	7	-2-	-52-	-		
		-	1	100		140	-	- 100	93	10	- 62	-			m	1	-	-	-	-24	1	
	ALI.	- 0	bi)	1 -		111		-	Minut.		160	100		5					-	201		
	100	- las	-		1	14	.00	- 101	.001		: 50	120	-	*	100	+	Ŧ	-	60	21		
	MAY.	10	18.	30	. 1	14	-	-	-	100	159.	No.	5#	T 46.1	A.		4		-	# 4		
E	41-	-5	14.	1.0	.4.	- 4	-4	-4-	the same	1	116	45		-				-	-	-		
	179	. 10			*	-11		- 11	-		14.	100	100		16.	+	-					
	MATE.		9.			. H.		. 101	0.00		19	N/III	. 14	3.00	120		- 10	1.0	ga.	300		
٤		- 14	1.4	-			-	-91	200	1.5	- 12	120	- 1			1	-	-	-50	84	100	
۲	-	. 11		*	10	71		-9-	-	9	18	-	191				**	-	-	20.4		
۲	3/1		DS)	100				-	-		118	No.	- 90	100	10	160		1.0	. 91	**	0.00	
L	2	-	1	-		- 11			Wish.	-	3	-	_	*	-	+	4	*	40	*		
۲	100	**			100	1.1			10.4	1.0	78	-	31		. *		- 10		**	81.74		
۱	27.7						60		-		125	250	16					- * .	-	-	- 2 -	
	-	-5-		4	10	-1		75.44	-		18	-	- 3.		-	-1-	-17	-	2-6	-		
ŧ	5857	10	3.80	1.5	35	1.1		18.14	47	180	12	MA	. 76			. 5	.78		8140	+ 5	1.3	
	80s.	-8.	4	4	150	115		-75	200	1.5	18	235	EB.	13.1		it.	35	-5-	-			
t	0	-2	M.	10	15	. 79		700	-	1.9	13.	100	-0-		1	1	*	*	64	201		
	Mar.	-#	: 47	100	1.5		- 8	-	23-		100	la,-	- 91	10.1	175		*		**	2.7		





















it's everything you need it to be















almutlaq group مجموعة المسطلق

























مجموعة المؤيد للمقاولات . Almoayyed Contracting Group











ALMOAYYED INTERNATIONAL GROUP مجموعة المؤيد العالمية





















www.iou-design.com info@iou-design.com

Diplomatic Area, Manama, Kingdom of Bahrain

+ 97334055607

+ 97333224468

Al Olaya, Al Khobar, Dammam Kingdom of Saudi Arabia

+ 966556754381

+ 966533172855

